

Product name: OS422183AK

THE LUBRIZOL CORPORATION
29400 LAKELAND BOULEVARD
WICKLIFFE, OH 44092-2298
US
(440)943-1200

Dear Customer,

Please be advised that this material can only be used for Research and Development purposes and not for general commercial use. This material must be used under the supervision of qualified individuals who have reviewed the Safety Data Sheet (SDS) and have evaluated the potential risks associated with the Research and Development activities. Unused material must be disposed of according to local regulations. If an additional copy of the SDS is needed, or you have any questions, please contact your account manager or customer service representative with any questions.

SAFETY DATA SHEET

This material is to be used for research purposes only under the supervision of a technically qualified individual. The toxicological properties may have not been completely characterized. Please determine your responsibilities under your local regulations.

1. Identification

Identification

Product name: OS422183AK

Additional identification

Chemical name: Sample

Recommended use and restriction on use

Recommended use: Research and Development

Restrictions on use: None identified.

Details of the supplier of the safety data sheet

Supplier

Company Name: THE LUBRIZOL CORPORATION
Address: 29400 LAKELAND BOULEVARD
WICKLIFFE, OH 44092-2298
US
Telephone: (440)943-1200

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements:

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements: Not applicable

Other hazards which do not result in GHS classification: None identified.

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Mineral oil	Mixture	60 – 70%
Mineral oil	64742-54-7	20 – 30%

The mineral oil contained may be described by one or more of the following:

CAS No. 8042-47-5, White mineral oil (petroleum);
CAS No. 64741-88-4, Distillates (petroleum), solvent-refined heavy;
CAS No. 64742-01-4, Residual oils (petroleum), solvent-refined;
CAS No. 64742-53-6, Distillates (petroleum), hydrotreated light naphthenic;
CAS No. 64742-54-7, Distillates (petroleum), hydrotreated heavy paraffinic;
CAS No. 64742-65-0, Distillates (petroleum), solvent-dewaxed heavy paraffinic;
CAS No. 64742-55-8, Distillates (petroleum), hydrotreated light paraffinic;
CAS No. 64742-56-9, Distillates (petroleum), solvent-dewaxed light paraffinic;
CAS No. 72623-86-0, Lubricating oils (petroleum), C15-30, hydrotreated;
CAS No. 72623-87-1, Lubricating oils (petroleum), C20-50, hydrotreated.

4. First-aid measures

Ingestion: Treat symptomatically. Get medical attention.

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur. Launder contaminated clothing before reuse.

Eye contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.

Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: CO₂, Dry chemical or Foam. Water can be used to cool and protect exposed material.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional information.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Recommend wearing self-contained breathing apparatus.

6. Accidental release measures

**Personal precautions,
protective equipment and
emergency procedures:**

No data available.

Environmental Precautions:

Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

**Methods and material for
containment and cleaning up:**

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

7. Handling and storage

Precautions for safe handling:

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Use grounding and bonding connection when transferring material. In case of spills, beware of slippery floors and surfaces.

**Maximum Handling
Temperature:**

Not determined.

**Conditions for safe storage,
including any
incompatibilities:**

Store away from incompatible materials. See section 10 for incompatible materials.

**Maximum Storage
Temperature:**

Not determined.

8. Exposure controls/personal protection

Control Parameters: Occupational Exposure Limits

Chemical name	Type	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m ³	US. ACGIH Threshold Limit Values, as amended (02 2012)
Mineral oil - Mist.	REL	5 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Mineral oil - Mist.	STEL	10 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Mineral oil - Mist.	PEL	5 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Mineral oil - Inhalable fraction.	TWA	5 mg/m ³	US. ACGIH Threshold Limit Values, as amended (03 2014)
Mineral oil - Mist.	REL	5 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
Mineral oil - Mist.	STEL	10 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2016)
Mineral oil - Mist.	PEL	5 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
Mineral oil - Mist.	TWA	5 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

Appropriate engineering controls:

No special requirements under ordinary conditions of use and with adequate ventilation.

Individual protection measures, such as personal protective equipment

General information:

Use personal protective equipment as required.

Eye/face protection:

If contact is likely, safety glasses with side shields are recommended.

Skin Protection

Hand Protection:

Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water.

Other:

No data available.

Respiratory Protection:

Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Use disposable dust/mist mask if the recommended exposure limit is exceeded.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state:

liquid

Form:

liquid

Color:	Colorless to amber
Odor:	Characteristic
Odor threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	≥ 212 °F (100 °C)
Flash Point:	≥ 200.1 °F (93.4 °C) (Pensky-Martens Closed Cup)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	Estimated 0.9 60.1 °F (15.6 °C)
Solubility(ies)	
Solubility in water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	> 21 mm ² /s (104 °F (40 °C))

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Will not occur.
Conditions to avoid:	Do not expose to excessive heat, ignition sources, or oxidizing materials.
Incompatible Materials:	Strong oxidizing agents. Strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data. May cause irritation of the gastrointestinal tract.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data. Overexposure to vapors or mist may cause dizziness, headache, nausea, and/or flu-like symptoms. Avoid inhalation of mists or vapors. Persons with sensitive airways (e.g., asthmatics) may react to vapors.

Skin Corrosion/Irritation:

Product: Remarks: Not classified as a primary skin irritant. Prolonged or repeated contact may cause irritation. Pre-existing skin conditions may be aggravated by prolonged or repeated exposure. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant. Remarks: Vapors may cause irritation.

Respiratory sensitization:

No data available

Skin sensitization:

Mineral oil Classification: Not a skin sensitizer. (Read across) Not a skin sensitizer.

Mineral oil

Classification: Not a skin sensitizer. (Read across)

Specific Target Organ Toxicity - Single Exposure:

Mineral oil If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Aspiration Hazard:

Mineral oil Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.

Other effects:

Chronic Effects

Carcinogenicity:

Product: This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

Mineral oil

All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. This product contains mineral oils which are severely refined and not considered carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity:

No data available

Reproductive toxicity:

No data available

Specific Target Organ Toxicity - Repeated Exposure:

No data available

12. Ecological information

Ecotoxicity

Fish

Mineral oil

LC 50 (Fathead Minnow, 4 d): > 100 mg/l

Mineral oil

LC 50 (Fathead Minnow, 96 h): > 100 mg/l

Aquatic Invertebrates

Mineral oil

EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l

NOEC (Water flea (Daphnia magna), 21 d): > 10 mg/l

Mineral oil

EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l

NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Toxicity to Aquatic Plants

Mineral oil

EC 50 (Green algae (Scenedesmus quadricauda), 3 Days): > 100 mg/l

Mineral oil

EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100 mg/l

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 100 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

No data available

Persistence and Degradability**Biodegradation**

Mineral oil

OECD TG 301 B, 31 %, 28 d, Not readily degradable.

Mineral oil

OECD TG 301 F, 31 %, 28 d, Not readily degradable.

Bioaccumulative potential**Bioconcentration Factor (BCF)**

No data available

Partition Coefficient n-octanol / water (log K_{ow})

No data available

Mobility:

No data available

Other adverse effects

No data available

13. Disposal considerations**Disposal instructions:**

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied.

Contaminated Packaging:

Container packaging may exhibit hazards.

14. Transport information**DOT**

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code

None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

Chemical Identity	CAS number	Reportable quantity
Zinc alkyldithiophosphate	Confidential	*See regulation for further details

Superfund amendments and reauthorization act of 1986 (SARA)

SARA 311 Classifications

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



This product can expose you to chemicals including: Benzene (2.00PPB) which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.



This product can expose you to chemicals including: Ethyl acrylate (117.00PPB) which is [are] known to the State of California to cause cancer.



This product can expose you to chemicals including: Toluene (8.00PPM) which is [are] known to the State of California to cause birth defects or other reproductive harm.

Inventory Status

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACH)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

United States (TSCA)


All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

16. Other information, including date of preparation or last revision
HMIS Hazard ID

Health		0
Flammability		1
Physical Hazards		0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID


■	Flammability
■	Health
■	Reactivity
■	Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 06/29/2020

Version #: 1.1

Source of information: Internal company data and other publically available resources.

Further Information: Contact supplier (see Section 1)

Disclaimer:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.